



SDS 14

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Revision Date: 08/08/2016

Date of Issue: 08/08/2016

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Carbon/Graphite Products with Cured Resin

1.2. Intended Use of the Product

Mechanical Component

1.3. Name, Address, and Telephone of the Responsible Party

Company

St. Mary's Carbon

259 Eberl St.

St. Mary's PA, 15857

814-781-7333

www.stmaryscarbon.com

1.4. Emergency Telephone Number

Emergency Number : 814-781-7333 (Hours of Operation: 7:30 a.m.- 4:00 p.m. M-F)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Not classified

2.2. Label Elements

GHS-US/CA Labeling

No labeling applicable

2.3. Other Hazards

This product is physiologically inert in its massive form. However, user-generated dust and/or fumes may pose a physiological hazard if inhaled or ingested. Avoid inhalation of dusts and fumes. Avoid skin and eye contact with dusts to prevent mechanical irritation. User-generated dust is easily ignited and difficult to extinguish. Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product Identifier | % * | GHS Ingredient Classification |
|---------------------------|---------------------|---------|--|
| Graphite | (CAS No) 7782-42-5 | 10 - 50 | Comb. Dust |
| Carbon black | (CAS No) 1333-86-4 | 5 - 50 | Comb. Dust |
| Coke, petroleum, calcined | (CAS No) 64743-05-1 | 10 - 50 | Comb. Dust STOT RE 2, H373 |
| Lithium fluoride | (CAS No) 7789-24-4 | 2 - 10 | Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| Cured Resin | Not Available | 1 - 10 | Not Classified |

Note: Studies performed in animals suggest carbon black dust may cause lung cancer via inhalation. Since this product is in a solid form, carbon black is not able to become airborne and cannot be inhaled. Thus the hazards usually associated with carbon black are not applicable to this product.

Full text of H-phrases: see section 16

SDS 14

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: For particulates, dust, or fumes from processing: Using proper respiratory protection, move the exposed person to fresh air at once. Encourage exposed person to cough, spit out, and blow nose to remove dust. Immediately call a poison center, physician, or emergency medical service.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: The following applies to the product if it is cut, sanded or altered in such a way that excessive and/or significant particulates and/or dusts may be generated: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation. Harmful if swallowed. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

Inhalation: Irritation of the respiratory tract and the other mucous membranes. Dust may be harmful or cause irritation.

Skin Contact: For particulates and dust: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva. During processing, dusts caused from milling and physical alteration will likely cause eye irritation.

Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts.

Chronic Symptoms: For particulates and dust: Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Dust, chips, or ribbons can be ignited more easily, by an ignition source, by improper machining, or by spontaneous combustion if finely divided and damp.

Explosion Hazard: Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive. Dust explosion hazard in air.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Irritating fumes, smoke, oxides of carbon and hydrocarbons. Fluorine compounds.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses. Risk of dust explosion.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Avoid all contact with skin, eyes, or clothing. Avoid generating dust. Remove ignition sources. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

SDS 14

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Avoid release to the environment. Collect spillage. Contact competent authorities after a spill.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Avoid generation of dust during clean-up of spills.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. Use explosion proof vacuum during cleanup, with appropriate filter. Do not mix with other materials. Vacuum clean-up is preferred. If sweeping is required use a dust suppressant. Use only non-sparking tools.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Accumulation and dispersion of dust with an ignition source can cause a combustible dust explosion. Keep dust levels to a minimum and follow applicable regulations.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Avoid creating or spreading dust. Avoid contact with skin, eyes and clothing. Do not breathe dust. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames, hot surfaces. – No smoking.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Avoid creating or spreading dust. Use explosion-proof electrical, ventilating, lighting equipment. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Keep container closed when not in use.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Mechanical Component

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

| Graphite (7782-42-5) | | |
|----------------------|--------------------------------------|--|
| USA ACGIH | ACGIH TWA (mg/m ³) | 2 mg/m ³ (all forms except graphite fibers-respirable fraction) |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ (synthetic-total dust) 5 mg/m ³ (synthetic-respirable fraction) |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 2.5 mg/m ³ (natural-respirable dust) |
| USA IDLH | US IDLH (mg/m ³) | 1250 mg/m ³ |
| Alberta | OEL TWA (mg/m ³) | 2 mg/m ³ (all forms except Graphite fibres-respirable) |
| British Columbia | OEL TWA (mg/m ³) | 2 mg/m ³ (all forms except Graphite fibres-respirable) |
| Manitoba | OEL TWA (mg/m ³) | 2 mg/m ³ (all forms except Graphite fibers-respirable fraction) |
| New Brunswick | OEL TWA (mg/m ³) | 2 mg/m ³ (all forms except graphite fibres) |

SDS 14

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|------------------------------------|--------------------------------------|---|
| Newfoundland & Labrador | OEL TWA (mg/m ³) | 2 mg/m ³ (all forms except Graphite fibers-respirable fraction) |
| Nova Scotia | OEL TWA (mg/m ³) | 2 mg/m ³ (all forms except Graphite fibers-respirable fraction) |
| Nunavut | OEL TWA (mg/m ³) | 5 mg/m ³ (synthetic-respirable mass) 10 mg/m ³ (synthetic, total mass) |
| Northwest Territories | OEL STEL (mg/m ³) | 4 mg/m ³ (natural-respirable fraction) |
| Northwest Territories | OEL TWA (mg/m ³) | 2 mg/m ³ (natural-respirable fraction) |
| Ontario | OEL TWA (mg/m ³) | 2 mg/m ³ (except Graphite fibres-respirable) |
| Prince Edward Island | OEL TWA (mg/m ³) | 2 mg/m ³ (all forms except Graphite fibers-respirable fraction) |
| Québec | VEMP (mg/m ³) | 2 mg/m ³ (containing no Asbestos and <1% Crystalline silica, except Graphite fibers-respirable dust) |
| Saskatchewan | OEL STEL (mg/m ³) | 4 mg/m ³ (natural, except Graphite fibres-respirable fraction) |
| Saskatchewan | OEL TWA (mg/m ³) | 2 mg/m ³ (natural, except Graphite fibres-respirable fraction) |
| Yukon | OEL TWA (mg/m ³) | 20 mppcf 30 mppcf (synthetic) 10 mg/m ³ (synthetic) |
| Carbon black (1333-86-4) | | |
| USA ACGIH | ACGIH TWA (mg/m ³) | 3 mg/m ³ (inhalable fraction) |
| USA ACGIH | ACGIH chemical category | Confirmed Animal Carcinogen with Unknown Relevance to Humans |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 3.5 mg/m ³ |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 3.5 mg/m ³ 0.1 mg/m ³ (Carbon black in presence of Polycyclic aromatic hydrocarbons) |
| USA IDLH | US IDLH (mg/m ³) | 1750 mg/m ³ |
| Alberta | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| British Columbia | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable) |
| Manitoba | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable fraction) |
| New Brunswick | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| Newfoundland & Labrador | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable fraction) |
| Nova Scotia | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable fraction) |
| Nunavut | OEL STEL (mg/m ³) | 7 mg/m ³ |
| Nunavut | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| Northwest Territories | OEL STEL (mg/m ³) | 7 mg/m ³ |
| Northwest Territories | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| Ontario | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable) |
| Prince Edward Island | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable fraction) |
| Québec | VEMP (mg/m ³) | 3.5 mg/m ³ |
| Saskatchewan | OEL STEL (mg/m ³) | 7 mg/m ³ |
| Saskatchewan | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| Yukon | OEL STEL (mg/m ³) | 7 mg/m ³ |
| Yukon | OEL TWA (mg/m ³) | 3.5 mg/m ³ |

8.2. Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

SDS 14

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Materials for Protective Clothing: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

| | |
|--|-----------------------|
| Physical State | : Solid |
| Appearance | : Black |
| Odor | : None |
| Odor Threshold | : Not available |
| pH | : Not available |
| Evaporation Rate | : Not available |
| Melting Point | : Not available |
| Freezing Point | : Not available |
| Boiling Point | : Not available |
| Flash Point | : Not available |
| Auto-ignition Temperature | : Not available |
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not available |
| Lower Flammable Limit | : Not available |
| Upper Flammable Limit | : Not available |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20°C | : Not available |
| Relative Density | : 1.2 - 2 (Water = 1) |
| Specific Gravity | : Not available |
| Solubility | : Not available |
| Partition Coefficient: N-Octanol/Water | : Not available |
| Viscosity | : Not available |

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition. Dust accumulation (to minimize explosion hazard).
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products:** No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

SDS 14

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Irritation of the respiratory tract and the other mucous membranes. Dust may be harmful or cause irritation.

Symptoms/Injuries After Skin Contact: For particulates and dust: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva. During processing, dusts caused from milling and physical alteration will likely cause eye irritation.

Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts.

Chronic Symptoms: For particulates and dust: Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| | |
|---|---|
| Carbon black (1333-86-4) | |
| LD50 Oral Rat | > 8000 mg/kg |
| Lithium fluoride (7789-24-4) | |
| LD50 Oral Rat | 143 mg/kg |
| Carbon black (1333-86-4) | |
| IARC Group | 2B |
| OSHA Hazard Communication Carcinogen List | In OSHA Hazard Communication Carcinogen list. |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: For particulates and dust: Harmful to aquatic life with long lasting effects.

| | |
|---------------------------------|--|
| Carbon black (1333-86-4) | |
| EC50 Daphnia 1 | 5600 mg/l (Exposure time: 24 h - Species: Daphnia magna) |

12.2. Persistence and Degradability

| | |
|--|---|
| Carbon/Graphite Products with Cured Resin | |
| Persistence and Degradability | May cause long-term adverse effects in the environment. |

12.3. Bioaccumulative Potential

| | |
|--|------------------|
| Carbon/Graphite Products with Cured Resin | |
| Bioaccumulative Potential | Not established. |

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, provincial, territorial, and international regulations

SDS 14

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT** Not regulated for transport
- 14.2. In Accordance with IMDG** Not regulated for transport
- 14.3. In Accordance with IATA** Not regulated for transport
- 14.4. In Accordance with TDG** Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

| |
|---|
| Graphite (7782-42-5) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| Carbon black (1333-86-4) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| Coke, petroleum, calcined (64743-05-1) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| Lithium fluoride (7789-24-4) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |

15.2. US State Regulations

| | |
|--|--|
| Carbon black (1333-86-4) | |
| U.S. - California - Proposition 65 - Carcinogens List | WARNING: This product contains chemicals known to the State of California to cause cancer. |

| |
|--|
| Graphite (7782-42-5) |
| U.S. - Massachusetts - Right To Know List |
| U.S. - New Jersey - Right to Know Hazardous Substance List |
| U.S. - Pennsylvania - RTK (Right to Know) List |

| |
|--|
| Carbon black (1333-86-4) |
| U.S. - Massachusetts - Right To Know List |
| U.S. - New Jersey - Right to Know Hazardous Substance List |
| U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances |
| U.S. - Pennsylvania - RTK (Right to Know) List |

15.3. Canadian Regulations

| |
|---|
| Graphite (7782-42-5) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Carbon black (1333-86-4) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Coke, petroleum, calcined (64743-05-1) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Lithium fluoride (7789-24-4) |
| Listed on the Canadian DSL (Domestic Substances List) |

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

- Revision Date** : 08/08/2016
- Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

GHS Full Text Phrases:


SDS 14

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|---------------------|---|
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
| Carc. 2 | Carcinogenicity Category 2 |
| Comb. Dust | Combustible Dust |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT RE 2 | Specific target organ toxicity (repeated exposure) Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H227 | Combustible liquid |
| Comb. Dust | May form combustible dust concentrations in air |
| H301 | Toxic if swallowed |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H373 | May cause damage to organs through prolonged or repeated exposure |

- NFPA Health Hazard** : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
- NFPA Fire Hazard** : 1 - Must be preheated before ignition can occur.
- NFPA Reactivity Hazard** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



- HMIS III Rating**
- Health** : 0 Minimal Hazard - No significant risk to health
- Flammability** : 1 Slight Hazard
- Physical** : 0 Minimal Hazard

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (US, Can)